CALIFORNIA COASTAL COMMISSION

South Coast Area Office 200 Oceangate, Suite 1000 Long Beach, CA 90802-4302 (562) 590-5071

F4a

Permit Application No. 5-08-321

Date: July 22, 2009

Page 1 of 7



<u>ADMINISTRATIVE PERMIT</u>

APPLICANT: Stephen Herman & Falkland Trust

PROJECT

DESCRIPTION: Demolition of existing boat dock float and construction of a new "L" shaped boat dock float with one 66 foot by 6 foot length and one 71 foot by 6 foot length. An existing 3 foot by 24 foot gangway will remain in place and be re-used at the end of the 66 foot float length. A second, new 3 foot by 24 foot gangway is proposed to be installed at the end of the 71 foot float length. The dock will extend 12 feet from the bulkhead. Two 14-inch diameter concrete piles are proposed to be re-used in place, and two new 14-inch diameter concrete piles are proposed to be added.

PROJECT

LOCATION: 3292 Falkland Circle, Huntington Beach (Orange County)

EXECUTIVE DIRECTOR'S DETERMINATION: The findings for this determination, and for any special conditions, appear on subsequent pages.

NOTE: P.R.C. Section 30624 provides that this permit shall not become effective until it is reported to the Commission at its next meeting. If one-third or more of the appointed membership of the Commission so request, the application will be removed from the administrative calendar and set for public hearing at a subsequent Commission meeting. Our office will notify you if such removal occurs.

This permit will be reported to the Commission at the following time and place:

Date & Time: 8:00 a.m., FRIDAY, AUGUST 14, 2009

Place: Hyatt Regency Embarcadero

5 Embarcadero Plaza San Francisco, CA 94111

(415) 407-3211 (only during hearing)

IMPORTANT - Before you may proceed with development, the following must occur:

Pursuant to 14 Cal. Admin. Code Sections 13150(b) and 13158, you must sign the enclosed duplicate copy acknowledging the permit's receipt and accepting its contents, including all conditions, and return it to our office. Following the Commission's meeting, and once we have received the signed acknowledgement and evidence of compliance with all special conditions, we will send you a Notice of Administrative Permit Effectiveness.

BEFORE YOU CAN OBTAIN ANY LOCAL PERMITS AND PROCEED WITH DEVELOPMENT, YOU MUST HAVE RECEIVED BOTH YOUR ADMINISTRATIVE PERMIT AND THE NOTICE OF PERMIT EFFECTIVENESS FROM THIS OFFICE.

PETER DOUGLAS Executive Director

By: Meg Vaughn

Title: Coastal Program Analyst

STANDARD CONDITIONS:

- Notice of Receipt and Acknowledgment. The permit is not valid and development shall not commence until a copy of the permit, signed by the permittee or authorized agent, acknowledging receipt of the permit and acceptance of the terms and conditions, is returned to the Commission office.
- 2. <u>Expiration.</u> If development has not commenced, the permit will expire two years from the date this permit is reported to the Commission. Development shall be pursued in a diligent manner and completed in a reasonable period of time. Application for extension of the permit must be made prior to the expiration date.
- 3. <u>Interpretation.</u> Any questions of intent or interpretation of any term or condition will be resolved by the Executive Director or the Commission.
- 4. <u>Assignment.</u> The permit may be assigned to any qualified person, provided assignee files with the Commission an affidavit accepting all terms and conditions of the permit.
- 5. <u>Terms and Conditions Run with the Land.</u> These terms and conditions shall be perpetual, and it is the intention of the Commission and the permittee to bind all future owners and possessors of the subject property to the terms and conditions.

SPECIAL CONDITIONS: See pages four to seven.

EXECUTIVE DIRECTOR'S DETERMINATION (continued):

The Executive Director hereby determines that the proposed development is a category of development, which, pursuant to PRC Section 30624, qualifies for approval by the Executive Director through the issuance of an Administrative Permit. Subject to Standard and Special Conditions as attached, said development is in conformity with the provisions of Chapter 3 of the Coastal Act of 1976 and will not have any significant impacts on the environment within the meaning of the California Environmental Quality Act. If located between the nearest public road and the sea, this development is in conformity with the public access and public recreation policies of Chapter 3.

FINDINGS FOR EXECUTIVE DIRECTOR'S DETERMINATION:

A. Project Description

The applicant proposes to demolish an existing boat dock float and construct a new "L" shaped boat dock float with one 66 foot by 6 foot length and one 71 foot by 6 foot length (both parallel to the bulkhead, see exhibit B). The subject lot is a harbor front lot, with two sides of the lot fronting on the water. An existing 3 foot by 24 foot gangway will remain in place and be re-used at the end of the 66 foot float length. A second, new 3 foot by 24 foot gangway is proposed to be installed at the end of the 71 foot float length. The dock will extend approximately 12 feet from the bulkhead. Two 14-inch diameter concrete piles are proposed to be re-used in place along the 66 foot float length, and two new 14-inch diameter concrete piles are proposed to be added along the 71 foot float length.

The subject site is located at 3292 Falkland Circle, Huntington Beach, Orange County. The site fronts on Huntington Harbour. The majority of harbor front, residential development in Huntington Harbour is surrounded by private recreational boat docks. The proposed dock project is similar in function to other docks associated with residential development in the immediate vicinity. The boat dock will be used solely for boating recreation purposes. The site has been surveyed for eelgrass and for *Caulerpa taxilfolia*. No eelgrass was discovered within 15 feet of the project area. No *Caulerpa taxilfolia* was found either. In addition, Special Condition 4 requires a *Caulerpa taxilfolia* survey not more than 90 days prior to commencement of construction. The surveys are valid for a limited period of time (until the next growing season for eelgrass and 90 days for *Caulerpa taxilfolia*). If construction does not occur within the respective time periods, subsequent surveys will be required. Special conditions 3 and 4 identify the procedures necessary to be completed prior to beginning construction in case the surveys expire prior to commencement of construction. In addition, special conditions 3 and 4 identify post-construction eelgrass and Caulerpa taxifolia procedures. Public access in the area exists at Sunset County Beach, located approximately one half mile west of the subject site.

The proposed dock would be located within the waters of Huntington Harbour. In this area of Huntington Harbour, the water area is owned and administered by the City of Huntington Beach. The proposed project has received an approval in concept from the City of Huntington Beach Public Works Department.

B. Marine Resources

The proposed recreational boat dock development and its associated structures are an allowable and encouraged marine related use. The project design includes the minimum sized pilings and the minimum number of pilings necessary for structural stability. There are no feasible less environmentally damaging alternatives available. As conditioned, the project will not significantly adversely impact eelgrass beds and will not contribute to the dispersal of the invasive aquatic algae, *Caulerpa taxifolia*. Further, as proposed and conditioned, the project, which is to be used solely for recreational boating purposes, conforms to Sections 30224 and 30233 of the Coastal Act.

C. Water Quality

The proposed work will be occurring on, within, or adjacent to coastal waters. The storage or placement of construction material, debris, or waste in a location where it could be discharged into coastal waters would result in an adverse effect on the marine environment. To reduce the potential for construction related impacts on water quality, the Commission imposes special conditions requiring, but not limited to, the appropriate storage and handling of construction equipment and materials to minimize the potential of pollutants to enter coastal waters. To reduce the potential for post-construction impacts to water quality the Commission requires the continued use and maintenance of post construction BMPs. As conditioned, the Commission finds that the development conforms to Sections 30230 and 30231 of the Coastal Act.

D. Local Coastal Program

Coastal Act section 30604(a) states that, prior to certification of a local coastal program ("LCP"), a coastal development permit can only be issued upon a finding that the proposed development is in conformity with Chapter 3 of the Act and that the permitted development will not prejudice the

ability of the local government to prepare an LCP that is in conformity with Chapter 3. An LCP for the City of Huntington Beach was effectively certified in March 1985. However, the proposed development is occurring within an area of the Commission's original permit jurisdiction, due to the project location seaward of the mean high tide line. Consequently, the standard of review is the Coastal Act and the City's LCP is used only as guidance. As conditioned, the proposed development is consistent with Chapter 3 of the Coastal Act and with the certified LCP for the area.

E. California Environmental Quality Act (CEQA)

As conditioned, there are no feasible alternatives or additional feasible mitigation measures available that would substantially lessen any significant adverse effect that the activity may have on the environment. Therefore, the Commission finds that the proposed project, as conditioned to mitigate the identified impacts, is the least environmentally damaging feasible alternative and can be found consistent with the requirements of the Coastal Act to conform to CEQA.

SPECIAL CONDITIONS:

1. Construction Responsibilities and Debris Removal

- (a) No construction materials, equipment, debris, or waste shall be placed or stored where it may be subject to wave, wind, or rain erosion and dispersion.
- (b) Any and all construction material shall be removed from the site within 10 days of completion of construction.
- (c) Machinery or construction materials not essential for project improvements shall not be allowed at any time in the intertidal zone.
- (d) If turbid conditions are generated during construction a silt curtain shall be utilized to control turbidity.
- (e) Floating booms shall be used to contain debris discharged into coastal waters and any debris discharged shall be removed as soon as possible but no later than the end of each day.
- (f) Non-buoyant debris discharged into coastal waters shall be recovered by divers as soon as possible after loss.

2. BEST MANAGEMENT PRACTICES PROGRAM

By acceptance of this permit the applicant agrees that the long-term water-borne berthing of boat(s) in the approved dock and/or boat slip will be managed in a manner that protects water quality pursuant to the implementation of the following BMPs.

- (a) Boat Cleaning and Maintenance Measures:
 - 1. In-water top-side and bottom-side boat cleaning shall minimize the discharge of soaps, paints, and debris.
 - In-the-water hull scraping or any process that occurs under water that results in the removal of paint from boat hulls shall be prohibited. Only detergents and cleaning components that are designated by the manufacturer as phosphate-free and biodegradable shall be used, and the amounts used minimized.

- 3. The applicant shall minimize the use of detergents and boat cleaning and maintenance products containing ammonia, sodium hypochlorite, chlorinated solvents, petroleum distillates or lye.
- (b) Solid and Liquid Waste Management Measures:
 - All trash, recyclables, and hazardous wastes or potential water contaminants, including old gasoline or gasoline with water, absorbent materials, oily rags, lead acid batteries, anti-freeze, waste diesel, kerosene and mineral spirits shall be disposed of in a proper manner and shall not at any time be disposed of in the water or gutter.
- (c) Petroleum Control Management Measures:
 - 1. Boaters will practice preventive engine maintenance and will use oil absorbents in the bilge and under the engine to prevent oil and fuel discharges. Oil absorbent materials shall be examined at least once a year and replaced as necessary. Used oil absorbents are hazardous waste in California. Used oil absorbents must therefore be disposed in accordance with hazardous waste disposal regulations. The boaters will regularly inspect and maintain engines, seals, gaskets, lines and hoses in order to prevent oil and fuel spills. The use of soaps that can be discharged by bilge pumps is prohibited.
 - 2. If the bilge needs more extensive cleaning (e.g., due to spills of engine fuels, lubricants or other liquid materials), the boaters will use a bilge pump-out facility or steam cleaning services that recover and properly dispose or recycle all contaminated liquids.
 - Bilge cleaners which contain detergents or emulsifiers will not be used for bilge cleaning since they may be discharged to surface waters by the bilge pumps.

3. Eelgrass Survey

- Pre Construction Eelgrass Survey. A valid pre-construction eelgrass (Zostera A. marina) survey shall be completed during the period of active growth of eelgrass (typically March through October). The pre-construction survey shall be completed prior to the beginning of construction and shall be valid until the next period of active growth. The survey shall be prepared in full compliance with the "Southern California Eelgrass Mitigation Policy" Revision 8 (except as modified by this special condition) adopted by the National Marine Fisheries Service and shall be prepared in consultation with the California Department of Fish and Game. The applicant shall submit the eelgrass survey for the review and approval of the Executive Director within five (5) business days of completion of each eelgrass survey and in any event no later than fifteen (15) business days prior to commencement of any development. If the eelgrass survey identifies any eelgrass within the project area which would be impacted by the proposed project, the development shall require an amendment to this permit from the Coastal Commission or a new coastal development permit.
- **B. Post Construction Eelgrass Survey**. If any eelgrass is identified in the project area by the survey required in subsection A of this condition above, within one month after the conclusion of construction, the applicant shall survey the project site

to determine if any eelgrass was adversely impacted. The survey shall be prepared in full compliance with the "Southern California Eelgrass Mitigation Policy" Revision 8 (except as modified by this special condition) adopted by the National Marine Fisheries Service and shall be prepared in consultation with the California Department of Fish and Game. The applicant shall submit the post-construction eelgrass survey for the review and approval of the Executive Director within thirty (30) days after completion of the survey. If any eelgrass has been impacted, the applicant shall replace the impacted eelgrass at a minimum 1.2:1 ratio on-site, or at another location, in accordance with the Southern California Eelgrass Mitigation Policy. All impacts to eelgrass habitat shall be mitigated at a minimum ratio of 1.2:1 (mitigation:impact). The exceptions to the required 1.2:1 mitigation ratio found within SCEMP shall not apply. Implementation of mitigation shall require an amendment to this permit or a new coastal development permit unless the Executive Director determines that no amendment or new permit is required.

4. <u>Pre-construction Caulerpa Taxifolia Survey</u>


- A. Not earlier than 90 days nor later than 30 days prior to commencement or re-commencement of any development authorized under this coastal development permit (the "project"), the applicants shall undertake a survey of the project area and a buffer area at least 10 meters beyond the project area to determine the presence of the invasive alga *Caulerpa taxifolia*. The survey shall include a visual examination of the substrate.
- B. The survey protocol shall be prepared in consultation with the Regional Water Quality Control Board, the California Department of Fish and Game, and the National Marine Fisheries Service.
- C. Within five (5) business days of completion of the survey, the applicants shall submit the survey:
 - i. for the review and approval of the Executive Director; and
 - ii. to the Surveillance Subcommittee of the Southern California Caulerpa Action Team (SCCAT). The SCCAT Surveillance Subcommittee may be contacted through William Paznokas, California Department of Fish & Game (858/467-4218) or Robert Hoffman, National Marine Fisheries Service (562/980-4043), or their successors.
- D. If Caulerpa taxifolia is found within the project or buffer areas, the applicants shall not proceed with the project until 1) the applicants provide evidence to the Executive Director that all *C. taxifolia* discovered within the project area and all *C. taxifolia* discovered within the buffer area have been eliminated in a manner that complies with all applicable governmental approval requirements, including but not limited to those of the California Coastal Act, or 2) the applicants have revised the project to avoid any contact with *C. taxifolia*. No revisions to the project shall occur without a Coastal Commission approved amendment to this coastal development permit unless the Executive Director determines that no amendment is legally required.


ACKNOWLEDGMENT OF PERMIT RECEIPT/ACCEPTANCE OF CONTENTS:

ed a copy of this permit and ha	ave accepted its content
Date of Signing	_

5-08-321 Herman btdk noEGpls Admin 8.09 mv

Google maps Address 3292 Falkland Cir Huntington Beach, CA 92649





A= Subject Site 3292 Falkland Circle

COASTAL COMMISSION 5-08-321 EXHIBIT #___ PAGE____OF__

18/200	19 1	6:5	2	94	4963	3131	22						SW.	IFT	SLIF	ססמי	KPI	ER						PA	GE	02
	٠,٢.,	:		. ".		(·.·	·: :	· :.	,	٠;٠:	٠٠.	÷ :			`		:		·, ' /	<i>:</i>	,	,		
27	P	lac	ce.	n t	ia	. 4	Av	er	ıu	е,	C	20	s t	a .	M	e :	s a		C;	ali	fo	II	118	1	92	6
			. (94	19) 6	3.3	1 - 3	3 1	2 1	•	F	a	K ((94	19) (3	1 -	3 1	22	2	.`			
.	1.	1 .	,	· :			<u> </u>	:	!	•	٠.				1		ا أ							- 0	3	
5,	P	9	3	W	DIE.	12	*		٠, .							7		٠.	- :							
0			~		1		4	=	101	7			•		:		:									
ERV			-			-	1	-		1							11	: 1'	W.	X					1	
Fh:	\$#4	#	1	9	1	F	10	D/	1					1	<u>۸</u> 5	17	W	36	Y	12.7				101	[
U5C	17	W	0	EX	Ì	4	M	7.	Di-	8			٠	*		19	1	7.	ļ	\vdash			- 6			
170		A	2-0	-	- 1	7 5	¥4	#	3				4		6				· -	-				. 1	. a	
we	-	14	<i>1</i> ×		DVI (,,	7	P	, 12	2_			N						 		M			sole	-	<u> </u>
1146	2 6	×;	ςΫ	1	9	6	4		11	-		-				11		• • •	۰,	4		g	`*,		,,,,	2
pla	Le		15	4.4	[]	1	?∕ -€	2 6	12		6	A						.: ••					2	عم		,
500	and	6	h							:		4									1		•	1	Name of the last	ļ
3	¥ 3	14	<u> </u>					· · ·		1		F 3-144 - 14						1		4]			
			;						./		:		. 6	4	10	7			4		_					
11:			·					٠.	1			<u>;: -</u> .		· ?	-	4			T	A	9					
†-†-	-)		1	.,	./			1		-						1	71				,		
·		 	-	 		1		<i></i>	h	ļ	<u> </u>		:			-		-1	4		ļ . ; -	·				ļ-· ·
+			 	 . 		-		<u> </u>	 -	جسإ	-		 .		÷	-		-								
 		 	1.:				/	-	 				<u> </u>	· ·		+							V	5 6	b	
···		+-	╁	-	-	-/-				 -			<u> </u>						+	5			*	54		ļ
			 	 -	ارا		·	 	<u> </u>	 	 				ψ. ·	1: \		1	+	 		7	19	سيست	111	3
	, - 	-	1	 :	1		·	ļ	-	<u> </u>	1	<u> </u>	 `		-		-		ļ	-	-	7		7-c	Francis	<u> </u>
	-6		1	-/	-	-	<u> </u>	<u> · · </u>	<u> </u>	:	<u> </u>	ļ	ļ:.					_		-	2	<u>} </u>	3	Cp.	<u> </u>	
C	DAS	ŢĄĽ	60	ΜV	118	<u>\$10</u>	N	<u> </u>		<u></u>	<u></u>	<u></u>				Ľ		<u>. </u>	·	11/2	}					ļ
	10	1+·C	0		Q.										: .	·			<u> </u>		<u> </u>			<u> </u>		
E	XHIE	8IT#		0			<u> </u>	<u>.</u>		<u> </u>	مرز			<u>.</u> .			٠,			PE	rm	1	开	16	97	<u>.</u>
P	λ¢Ε		1	lo						-	<u> </u>			٠.					ΔF	ac	R	W			-	i i ipaneno
1			1:	·			1				1								N	cc	N					-
1.		: :	1: :		1			1			٠.,					$\tilde{\rho}_o$	C	1		1		5	24 .			
			1		<u> </u>						1					1		BL	7	WO			- ,	1	50	- Kreening
			ر ا	-	-	11	_		1	L		iv.	100					7.7			TING		NI D		TE	
- - -		1.		77	ef	7771	27	-	7	TE-		1		*		1				100.0	1		73-12) (***)	divine the
1	-		1	1	1		1	ا۔ ما	5	1	2	1	7			*****				1 .	-	-	1	 	 -	†
·} 		1.3.4		P			1	44	-	1	1	1	1	1.1		: :	1,5		1		10			9	, 2	į
·	+	17	3	2	7	2	7	4	4	K 1	14-1	a	-	K	1	-				0.6	CHEST				Ç.	
++			1	-	-			1	-			1	1	1							Bu				V.	
+	1		-	12	K ₁	+11	12	1.0		1. 2	1			-		-		<u> </u>	10	4			اد. مارو و			U
		1	1.	ļ.·	1	-	ļ	1		-		4	16	17	7	<u> </u>	<u>.</u>				7	*	2	114	" —	-
$\downarrow \downarrow$		-	1		1		ļ :		ļ	1	ļ	1.	1	_	<u> </u>	ļ.			_				-V.		/	<u> </u>
		. '	:						<u> </u>			1	<u> </u>	· .					1	<u> </u>		1		į	ļ	
	;			1] : }	1				· ·							1	ļ	1:	D	00	K	&]	PII		
		2 7 3 4	77	· - 61, - 1.7	3 4	_		_	-	_	·	_				_										-dames