CALIFORNIA COASTAL COMMISSION South Coast Area Office 200 Oceangate, Suite 1000 Long Beach, CA 90802-4302 (562) 590-5071



Permit Application No. **5-11-301** Date: August 23, 2012 Page 1 of 9



ADMINISTRATIVE PERMIT

APPLICANT:	Lido Isle Community Association, Attn: Fred Barnes, President
PROJECT DESCRIPTION:	Demolish existing 2,104 sq. ft. U-shaped floating dock including existing $9 - 14$ " diameter support piles and existing gangway; retain existing $2 - 10$ " diameter piles and $12 - 12$ " diameter piles supporting existing pier and modify existing pier to create new ADA sloped walkway supported by existing piles plus one additional 16" diameter "T" pile; replace existing gangway with new 5'x26' gangway; add a second new ADA compliant 4'x38' gangway alongside existing pier including new 6'x8' gangway lobe supported by one new 18" diameter "T" pile; replace floating dock with new 2,690 sq. ft. U- shaped floating dock, supported by $6 - 14$ " diameter support piles and $5 - 18$ " diameter piles. Overall, the new dock system square footage will be increased by 790 sq. ft. from 2,952 sq. ft. to 3,742 sq. ft.

PROJECTLOCATION:701 Via Lido Soud, Newport Beach (Orange County)

EXECUTIVE DIRECTOR'S DETERMINATION: The findings for this determination, and for any special conditions, appear on subsequent pages.

<u>NOTE</u>: P.R.C. Section 30624 provides that this permit shall not become effective until it is reported to the Commission at its next meeting. If one-third or more of the appointed membership of the Commission so request, the application will be removed from the administrative calendar and set for public hearing at a subsequent Commission meeting. Our office will notify you if such removal occurs.

This permit will be reported to the Commission at the following time and place:

Wednesday, September 12, 9:00 am Caspar Community Center 15051 Caspar Road Caspar, CA 95420

IMPORTANT - Before you may proceed with development, the following must occur: Pursuant to 14 Cal. Admin. Code Sections 13150(b) and 13158, you must sign the enclosed duplicate copy acknowledging the permit's receipt and accepting its contents, including all conditions, and return it to our office. Following the Commission's meeting, and once we have received the signed acknowledgement and evidence of compliance with all special conditions, we will send you a Notice of Administrative Permit Effectiveness.

5-11-301(Lido Isle Community Association) Administrative Permit Page 2 of 9

BEFORE YOU CAN OBTAIN ANY LOCAL PERMITS AND PROCEED WITH DEVELOPMENT, YOU MUST HAVE RECEIVED BOTH YOUR ADMINISTRATIVE PERMIT AND THE NOTICE OF PERMIT EFFECTIVENESS FROM THIS OFFICE.

CHARLES LESTER Executive Director

By: <u>Liliana Roman</u> Title: <u>Coastal Program Analyst</u>

STANDARD CONDITIONS:

- 1. <u>Notice of Receipt and Acknowledgment.</u> The permit is not valid and development shall not commence until a copy of the permit, signed by the permittee or authorized agent, acknowledging receipt of the permit and acceptance of the terms and conditions, is returned to the Commission office.
- 2. <u>Expiration.</u> If development has not commenced, the permit will expire two years from the date on which the Commission voted on the application. Development shall be pursued in a diligent manner and completed in a reasonable period of time. Application for extension of the permit must be made prior to the expiration date.
- 3. <u>Interpretation.</u> Any questions of intent or interpretation of any term or condition will be resolved by the Executive Director or the Commission.
- 4. <u>Assignment.</u> The permit may be assigned to any qualified person, provided assignee files with the Commission an affidavit accepting all terms and conditions of the permit.
- 5. <u>Terms and Conditions Run with the Land.</u> These terms and conditions shall be perpetual, and it is the intention of the Commission and the permittee to bind all future owners and possessors of the subject property to the terms and conditions.

SPECIAL CONDITIONS: See pages five thru eight.

EXECUTIVE DIRECTOR'S DETERMINATION (continued):

The Executive Director hereby determines that the proposed development is a category of development, which, pursuant to PRC Section 30624, qualifies for approval by the Executive Director through the issuance of an Administrative Permit. Subject to Standard and Special Conditions as attached, said development is in conformity with the provisions of Chapter 3 of the Coastal Act of 1976 and will not have any significant impacts on the environment within the meaning of the California Environmental Quality Act. If located between the nearest public road and the sea, this development is in conformity with the public access and public recreation policies of Chapter 3.

FINDINGS FOR EXECUTIVE DIRECTOR'S DETERMINATION:

A. <u>Project Description</u>

The proposed project site is a boat dock system used by the Lido Isle Community Association and the Lido Isle Yacht Club, and is located bayward of a bayfront lot on Newport Bay at 701 Via Lido Soud on Lido Isle in Newport Beach, Orange County (Exhibits #1-2). The City of Newport Beach

5-11-301(Lido Isle Community Association) Administrative Permit Page 3 of 9

Land Use Plan (LUP) designates use of the site as mixed-use water related and the proposed project adheres to this designation. The applicant, Lido Isle Community Association is the property owner of the land and landside improvements located on the site and leases the water side parcel from City of Newport Beach. The waters in which the proposed pier is located is part of granted public trust tidelands which the City of Newport Beach leases to the Lido Isle Community Association. No improvements to the landside development are proposed as part of this CDP application. The applicant has provided an engineering assessment of the existing seawall/bulkhead which protects the landside development which deems the seawall stable, plumb and sound and concludes that no repairs are needed at this time. The land-side development consists of the Lido Isle Yacht Club facilities, a private club for members of the Lido Isle Community repaires serving the Lido Isle Yacht Club and the entire Lido Isle.

A local waterfront community park approximately 500 feet east of the project site lease at the intersection of Via Lido Soud and Via Waziers, provides the nearest public access to Newport Bay and public tidelands. The Lido Isle Community Association leases nine other land parcels throughout the small island from the City which they have developed as recreational parks. Access easements over portions of these leased lands provide the general public access to tidelands which adjoin the leased parcels.

The applicant proposes to bring the existing dock system into compliance with ADA regulations and current City and State dock requirements by modifying the existing pier and completely replacing the floating dock and gangway and constructing a new gangway alongside the existing pier. The proposed design is approximately the same as the existing, consisting of a "U" shape opening to the east and access gangways on the west center section. The outer new (southern) finger float section is proposed to be 4-7 feet farther out to the Project Line in order to widen the inner docking space allowing for more space for boaters to maneuver and tie-up in the protected inner dock. Additionally, this outer new (southern) finger float section is proposed to be lengthened by 30 extra feet to allow more boat tie-up space on the dock. There are currently 4 – 14" square diameter piles in this finger proposed to be replaced by 5 - 18" diameter piles (to meet current City dock construction policy). The inner (northern) floating dock finger is proposed to be replaced in the same length (114') and width (6') as the existing; the 2 - 14" square diameter piles currently supporting this finger will remain and two new 14" square diameter piles will be added. The east dock headwalk is proposed to be enlarged from 6' to 8' to meet City requirements; while the west headwalk is proposed to be widened from 6' to 8' on the northern end to provide adequate floatation to support a new ADA compliant gangway.

The existing wood pier is proposed to be modified to meet ADA requirements. On the north end of the pier, existing steps will be replaced with a 27' long ADA ramp supported by the existing seawall on the north end and on the south end by a new 16" diameter T-pile. Existing stairs from the pier to the beach are proposed to be replaced, like for like. The pier is proposed to be widened from 6' to 9' to provide space for combined wheelchair and pedestrian traffic and a 6' x 7' 6" platform lobe supported by a new 18" diameter T-pile will be added to support a second 4' x 38' ADA wood gangway alongside existing pier.

The existing 2,104 sq. ft. floating dock and 748 sq. ft. pier and ramp will be replaced with a new 2,690 sq. ft. U-shaped concrete floating dock, supported by 6 - 14" diameter support piles and 5 - 18" diameter piles and a 952 sq. ft. pier and ramp. Overall, the new dock system (pier, gangway, float) square footage will increase overall water coverage by 790 sq. ft. from 2,952 sq. ft. to 3,742 sq. ft. (Exhibit #4). The increase in square footage proposed largely is due to new dock

5-11-301(Lido Isle Community Association) Administrative Permit Page 4 of 9

construction regulations and required compliance with the Americans with Disabilities Act (ADA). The proposed dock system does not conform to the U.S. Pier head Line, however, is located in an area of the harbor which the City of Newport Beach allows docks to exceed the Pier Head Line up to the City's Project Line per a Harbor Permit.

The site was surveyed for eelgrass and *Caulerpa taxilfolia* on October 31, 2011. The area surveyed was greater than 75% coverage of bay floor of the project area. No eelgrass or *Caulerpa taxilfolia* was found within the entire project area (Exhibit #4). Therefore, the project would not have any direct eelgrass impacts. These eelgrass and *Caulerpa taxilfolia* surveys are valid for a limited period of time (until the next growing season for eelgrass and 90 days for *Caulerpa taxilfolia*). If construction does not occur within the respective time periods, a subsequent survey will be required. If any additional eelgrass or *Caulerpa taxilfolia* are found on the project site, Special Conditions No. 2 and No. 3 identify the procedures necessary to be completed prior to beginning any construction.

The project has received an approval-in-concept from the City of Newport Beach Harbor Resources Division on November 9, 2011 (Harbor Permit No. #172-701 and Plan Check Number 1766-2010). The applicant has requested a permit from the U.S. Army Corps of Engineers. Staff expects the U.S. Army Corps of Engineers' Letter of Permission (LOP) deeming the project qualifies for the General Concurrence for impacts to essential fish habitats. The project has received approval from the California Regional Water Quality Control Board (RWQCB). The RWQCB has determined that the proposed project will not adversely impact water quality if standard construction methods and materials are used and if no waste is discharged from the proposed project. In addition, the National Marine Fisheries Service (NMFS) has reviewed the project and had no comments.

Section 30600(c) of the Coastal Act provides for the issuance of coastal development permits directly by the Commission in regions where the local government having jurisdiction does not have a certified Local Coastal Program. The City of Newport Beach only has a certified Land Use Plan and has not exercised the options provided in 30600(b) or 30600.5 to issue its own permits. Therefore, the Coastal Commission is the permit issuing entity and the standard of review is Chapter 3 of the Coastal Act. The certified Land Use Plan may be used for guidance.

Prior Commission Action

1982: CDP 5-82-218(Lido Isle Community Association) - Removal of existing decks and pilings and replacement with new decks and and pilings to repair an existing private boat dock facility.

B. <u>Marine Resources</u>

The proposed recreational boat dock development and its associated structures are an allowable and encouraged marine related use. The project design includes the minimum sized pilings and the minimum number of pilings necessary for structural stability. As the existing piles are proposed to be re-used, no soft bottom sediment disturbance will occur as a result of the project. There are no feasible less environmentally damaging alternatives available. As conditioned, the project will not significantly adversely impact eelgrass beds and will not contribute to the dispersal of the invasive aquatic algae, *Caulerpa taxifolia*. Further, as proposed and conditioned, the project, which is to be used solely for recreational boating purposes, conforms to Sections 30224 and 30233 of the Coastal Act.

5-11-301(Lido Isle Community Association) Administrative Permit Page 5 of 9

C. <u>Water Quality</u>

The proposed work will be occurring on, within, or adjacent to coastal waters. The storage or placement of construction material, debris, or waste in a location where it could be discharged into coastal waters would result in an adverse effect on the marine environment. To reduce the potential for construction related impacts on water quality, the Commission imposes special conditions requiring, but not limited to, the appropriate storage and handling of construction equipment and materials to minimize the potential of pollutants to enter coastal waters. To reduce the potential for post-construction impacts to water quality the Commission requires the continued use and maintenance of post construction BMPs. As conditioned, the Commission finds that the development conforms to Sections 30230 and 30231 of the Coastal Act.

D. Local Coastal Program

The LUP for the City of Newport Beach was effectively certified on May 19, 1982. The certified LUP was comprehensively updated on October 13, 2005. As conditioned, the proposed development is consistent with Chapter 3 of the Coastal Act and with the certified Land Use Plan for the area. Approval of the project, as conditioned, will not prejudice the ability of the local government to prepare a Local Coastal Program that is in conformity with the provisions of Chapter 3.

E. California Environmental Quality Act (CEQA)

As conditioned, there are no feasible alternatives or additional feasible mitigation measures available that would substantially lessen any significant adverse effect that the activity may have on the environment. Therefore, the Commission finds that the proposed project, as conditioned to mitigate the identified impacts, is the least environmentally damaging feasible alternative and can be found consistent with the requirements of the Coastal Act to conform to CEQA.

SPECIAL CONDITIONS:

1. Water Quality

- A. Construction Responsibilities and Debris Removal
 - (1) No demolition or construction materials, equipment, debris, or waste shall be placed or stored where it may enter sensitive habitat, receiving waters or a storm drain, or be subject to wave, wind, rain or tidal erosion and dispersion.
 - (2) Any and all debris resulting from demolition or construction activities, and any remaining construction material, shall be removed from the project site within 24 hours of completion of the project.
 - (3) Demolition or construction debris and sediment shall be removed from work areas each day that demolition or construction occurs to prevent the accumulation of sediment and other debris that may be discharged into coastal waters.
 - (4) Machinery or construction materials not essential for project improvements will not be allowed at any time in the intertidal zone.
 - (5) If turbid conditions are generated during construction a silt curtain will be utilized to control turbidity.
 - (6) Floating booms will be used to contain debris discharged into coastal waters and any debris discharged will be removed as soon as possible but no later than the end of each day.

5-11-301(Lido Isle Community Association) Administrative Permit Page 6 of 9

- (7) Non-buoyant debris discharged into coastal waters will be recovered by divers as soon as possible after loss.
- (8) All trash and debris shall be disposed in the proper trash and recycling receptacles at the end of every construction day.
- (9) The applicant shall provide adequate disposal facilities for solid waste, including excess concrete, produced during demolition or construction.
- (10)Debris shall be disposed of at a legal disposal site or recycled at a recycling facility. If the disposal site is located in the coastal zone, a coastal development permit or an amendment to this permit shall be required before disposal can take place unless the Executive Director determines that no amendment or new permit is legally required.
- (11)All stock piles and construction materials shall be covered, enclosed on all sides, shall be located as far away as possible from drain inlets and any waterway, and shall not be stored in contact with the soil.
- (12)Machinery and equipment shall be maintained and washed in confined areas specifically designed to control runoff. Thinners or solvents shall not be discharged into sanitary or storm sewer systems.
- (13)The discharge of any hazardous materials into any receiving waters shall be prohibited.
- (14)Spill prevention and control measures shall be implemented to ensure the proper handling and storage of petroleum products and other construction materials. Measures shall include a designated fueling and vehicle maintenance area with appropriate berms and protection to prevent any spillage of gasoline or related petroleum products or contact with runoff. The area shall be located as far away from the receiving waters and storm drain inlets as possible.
- (15)Best Management Practices (BMPs) and Good Housekeeping Practices (GHPs) designed to prevent spillage and/or runoff of demolition or construction-related materials, and to contain sediment or contaminants associated with demolition or construction activity, shall be implemented prior to the on-set of such activity
- (16)All BMPs shall be maintained in a functional condition throughout the duration of construction activity.

B. Best Management Practices Program

By acceptance of this permit the applicant agrees that the long-term water-borne berthing of boat(s) in the approved dock and/or boat slip will be managed in a manner that protects water quality pursuant to the implementation of the following BMPs.

- (1) Boat Cleaning and Maintenance Measures:
 - a. In-water top-side and bottom-side boat cleaning shall minimize the discharge of soaps, paints, and debris.
 - b. In-the-water hull scraping or any process that occurs under water that results in the removal of paint from boat hulls shall be prohibited. Only detergents and cleaning components that are designated by the manufacturer as phosphate-free and biodegradable shall be used, and the amounts used minimized.

5-11-301(Lido Isle Community Association) Administrative Permit Page 7 of 9

- c. The applicant shall minimize the use of detergents and boat cleaning and maintenance products containing ammonia, sodium hypochlorite, chlorinated solvents, petroleum distillates or lye.
- (2) Solid and Liquid Waste Management Measures:
 - a. All trash, recyclables, and hazardous wastes or potential water contaminants, including old gasoline or gasoline with water, absorbent materials, oily rags, lead acid batteries, anti-freeze, waste diesel, kerosene and mineral spirits will be disposed of in a proper manner and will not at any time be disposed of in the water or gutter.
- (3) Petroleum Control Management Measures:
 - a. Boaters will practice preventive engine maintenance and will use oil absorbents in the bilge and under the engine to prevent oil and fuel discharges. Oil absorbent materials shall be examined at least once a year and replaced as necessary. Used oil absorbents are hazardous waste in California. Used oil absorbents must therefore be disposed in accordance with hazardous waste disposal regulations. The boaters will regularly inspect and maintain engines, seals, gaskets, lines and hoses in order to prevent oil and fuel spills. The use of soaps that can be discharged by bilge pumps is prohibited.
 - b. If the bilge needs more extensive cleaning (e.g., due to spills of engine fuels, lubricants or other liquid materials), the boaters will use a bilge pump-out facility or steam cleaning services that recover and properly dispose or recycle all contaminated liquids.
 - c. Bilge cleaners containing detergents or emulsifiers will not be used for bilge cleaning since they may be discharged to surface waters by the bilge pumps.

2. <u>Eelgrass Survey</u>

Α. Pre Construction Eelgrass Survey. A valid pre-construction eelgrass (Zostera marina) survey shall be completed during the period of active growth of eelgrass (typically March through October). The pre-construction survey shall be completed prior to the beginning of construction and shall be valid until the next period of active growth. The survey shall be prepared in full compliance with the "Southern California Eelgrass Mitigation Policy" Revision 8 (except as modified by this special condition) adopted by the National Marine Fisheries Service and shall be prepared in consultation with the California Department of Fish and Game. The applicant shall submit the eelgrass survey for the review and approval of the Executive Director within five (5) business days of completion of each eelgrass survey and in any event no later than fifteen (15) business days prior to commencement of any development. If the eelgrass survey identifies any eelgrass within the project area which would be impacted by the proposed project, the development shall require an amendment to this permit from the Coastal Commission or a new coastal development permit.

5-11-301(Lido Isle Community Association) Administrative Permit Page 8 of 9

В. **Post Construction Eelgrass Survey**. If any eelgrass is identified in the project area by the survey required in subsection A of this condition above, within one month after the conclusion of construction, the applicant shall survey the project site to determine if any eelgrass was adversely impacted. The survey shall be prepared in full compliance with the "Southern California Eelgrass Mitigation Policy" Revision 8 (except as modified by this special condition) adopted by the National Marine Fisheries Service and shall be prepared in consultation with the California Department of Fish and Game. The applicant shall submit the post-construction eelgrass survey for the review and approval of the Executive Director within thirty (30) days after completion of the survey. If any eelgrass has been impacted, the applicant shall replace the impacted eelgrass at a minimum 1.2:1 ratio on-site, or at another location, in accordance with the Southern California Eelgrass Mitigation Policy. All impacts to eelgrass habitat shall be mitigated at a minimum ratio of 1.2:1 (mitigation:impact). The exceptions to the required 1.2:1 mitigation ratio found within SCEMP shall not apply. Implementation of mitigation shall require an amendment to this permit or a new coastal development permit unless the Executive Director determines that no amendment or new permit is required.

3. <u>Pre-construction Caulerpa Taxifolia Survey</u>

- A. Not earlier than 90 days nor later than 30 days prior to commencement or re-commencement of any development authorized under this coastal development permit (the "project"), the applicant shall undertake a survey of the project area and a buffer area at least 10 meters beyond the project area to determine the presence of the invasive alga *Caulerpa taxifolia*. The survey shall include a visual examination of the substrate.
- **B.** The survey protocol shall be prepared in consultation with the Regional Water Quality Control Board, the California Department of Fish and Game, and the National Marine Fisheries Service.
- **C.** Within five (5) business days of completion of the survey, the applicant shall submit the survey:
 - (1) for the review and approval of the Executive Director; and
 - (2) to the Surveillance Subcommittee of the Southern California Caulerpa Action Team (SCCAT). The SCCAT Surveillance Subcommittee may be contacted through William Paznokas, California Department of Fish & Game (858/467-4218) or Robert Hoffman, National Marine Fisheries Service (562/980-4043), or their successors.
- D. If Caulerpa taxifolia is found within the project or buffer areas, the applicant shall not proceed with the project until 1) the applicant provides evidence to the Executive Director that all *C. taxifolia* discovered within the project and buffer area has been eliminated in a manner that complies with all applicable governmental approval requirements, including but not limited to those of the California Coastal Act, or 2) the applicant has revised the project to avoid any contact with *C. taxifolia*. No revisions to the project shall occur without a Coastal Commission approved

5-11-301(Lido Isle Community Association) Administrative Permit Page 9 of 9

amendment to this coastal development permit unless the Executive Director determines that no amendment is legally required.

4. Public Rights

The Coastal Commission's approval of this permit shall not constitute a waiver of any public rights that exist or may exist on the property. The permittee shall not use this permit as evidence of a waiver of any public rights that may exist on the property.

ACKNOWLEDGMENT OF PERMIT RECEIPT/ACCEPTANCE OF CONTENTS:

I/We acknowledge that I/we have received a copy of this permit and have accepted its contents including all conditions.


Applicant's Signature

Date of Signing

COASTAL COMMISSION

EXHIBIT #_ PAGE____ 1 OF






TRIESTE 2 EXHIBIT # REMO TRIESTE PAGE 2 OF 3 SAN STRADA **VIA LIDO SOUD** VIA VIA PUBLIC RIG OF WAY) WIDE iΗT (45 A 4 22.5 22.5 111111111 ACCESS 0 1 701 VIA LIDO SOUD 1 STORY SMOOTH STUCCO BUILDING BUILDING HEIGHT = NEIGHBORING HOUSE 22'±BUILDING AREA = 7,428 SQUARE FEET 111 LOT 19 TRACT 907 M.B. 28 / 25 NEIGHBORING 0 111 1111 NEIGHBORING HOUSE (N) ADA PATH (E) LOWER PATIO 1111 (N) 9' x 5' _ ADA RAMP (N) 9' x 3' LEVEL PLATFORM (0) NON 5 29 B (N) 9' x 5' LEVEL H H DN BEACH (E) REBUILT WD STAIR TO BEACH (H) 23 (E) REBUILT WO STAIR TO BEACH 2 19'-0" 2'-0' (N) 9' x 19' ADA RAMP-2'-10" GOVERNMENT BULKHE/ TRACT NO. 907, M.B. ž (E) CONC ABUTMENT BELOW TO BE EXTENDED FROM 6' TO 9 (N) 15" CONC "T" PILE 7 12 (N) 2' x 12'-9" PIER WDENING BULKHEAD LINE HATCHED AREA INDICATES (N) CONC FLOATING DOCK TO 5 PROPERTY UNE (N) 6' x 7'-6" WD (E) THE LINES TO SWIM DOCK (E) PIER TO REMAIN AS-IS E 13 13 REPLACE (E) FLOATING (N) 18" CONC 122'-0" 8-0 28'-7" 114'-0" (E) RE-LOCATED 14" SQ CONC PILE (N) 14" SQ CONC PILE (E) SWM -0-.08 **Pick** DOCKS (N) 4'-1" x 38" (2) 6'-0" 17'-6" (N) 14" SQ REPLACEMENT CONC PILE (E) 14" SQ CONC PILE TO REMAIN (E) 14" SQ CONC PILE TO REMAIN (N) TRANSITION 32'-0 (E) TOWER TO REMAIN AS-IS (E) 14" SQ CONC PILE TO REMAIN 51'-6" 52 42'-6" PIER HEAD LINE (N) 6' x 26' GANGWAY TO REPLACE (E) GANGWAY (N) 18 SQ REPLACEMENT CONC PILE (N) 18" 50 REPLACEMEN CONC PILE (N) 18" SQ REPLACEMENT CONC PILE (N) REP CON 50 (N) 18" SQ CONC PILE PILE 20.-0" 6'-0 -PROJECT LINE 8-0. 10'-10" 24'-0" 123'-0" 76'-10" 147'-0" 234'-8" HARBOR NEWPORT (OCEAN)



COASTAL COMMISSION



COASTAL COMMISSION

Lido Isle Community Association

EXHIBIT # _____ PAGE_____OF____




Typical daily recreational use



COASTAL COMMISSION

4 EXHIBIT #_ PAGE 2



Usage during a Regatta or Summer (High) Season