South Coast District Office 301 E Ocean Blvd., Suite 300 Long Beach, CA 90802-4302 (562) 590-5071



5-21-0559 (Barton & Baxter)

February 10, 2022

EXHIBITS

Table of Contents


EXHIBIT NO. 1 – PROJECT SITE	2
EXHIBIT NO. 2 – PROPOSED PLANS	4



California Coastal Commission 5-21-0559 Exhibit 1 Page 1 of 2



California Coastal Commission 5-21-0559 Exhibit 1 Page 2 of 2



GENERAL NOTES

GENERAL REQUIREMENTS

- TRUCTION SHALL BE IN CONFORMITY WITH THE 2019 EDITION OF THE OWNA BULONG CODE (GEO) AND ALL APPLICABLE LOCAL AND STATE IN ORDINATION: THE CONTRACTOR SHALL EXAMPLE TO UPPER ALL DWINNEOUS
 - CHURDING BUILDING CODE (GGE) AND ALL APPLICABLE LOCAL AND STATE CODES AND GROWINGES. BUILDING LEARNING THE PROPERTY IN A STATE AND ALL APPLICATION AND ALL APPLICATIONS OF THE EXISTING CONTINUENDED AND CONTRACTOR SHALL AND ALL ADVICATION OF THE EXISTING CONTRILICTORS INCOMENDES. LOCATIONS & LILAND AND ALL AND ALL PROVIDED CONTRACTOR SHALL AND ALL ADVICATION AND ALL AND PROVIDED AND ALL ADVICES AND ALL ADVICATION AND ALL AND PROVIDED AND ALL AND ALL ADVICATION AND ALL AND ALL PROVIDED AND ALL AND ALL ADVICATION AND ALL AND ALL ADVICES AND ALL AND CONTRACTOR SHALL AND ALL ALL ALL ADVICES AND ALL ADVICES AND AND ALL ADVICES AND ALL AD

- PEOPEATIONS. BYTEN DARROOMS (NOT SCALED DARROSONS) SHALL BE USED. IMPORARY ERECTION BRACING AND SHORING SHALL BE PROVED AS DOURED ON ALL STRUCTURES. ADDOUATE TO PROVED FULL STRUCTURAL ADDILTY AND SAFETY, BRACING SHALL HOT BE PENDORD UNTE. THE SIGN LOADING. IN COMMENTE ON AN EL CARAGUE O'S SUPPORTING THE SIGN LOADING.
- LIGHTIN THE MATCH TERMIN SHUL NOT BE REMOKED UNTL. THE DECIDAL DARKS TO AND BE CANALL OF SHORTEND THE DECIDAL DARKS. DECIDAL D

- DAM STE. 10.44 STE. 10.55 THE LITEST "ORIENTAL GRADING PEOPLETINGS" OF THE BALDING DEMAMINENT FOR THE CITYS' DEMANA, NOTS, BROKING COMPICIA, RULARED BALLA S.L.S. VERICES, NATO CORREN, MO OTRER TRESLAMMO STRUCTURES REQUIRE SEPARATE INVERSE AND FEMILE. 10.41. S.L.S. VERICONTONIS INTO ON HER CASTU 20.005578/02.43 AN INVERTIGAN AND INFE CASTU

SOLID SAWN MEMBERS AND GLU-LAM BEAMS

- GUID SAWN MEMBERS AND GLU-LAW BEAMS ALL KOO-CONTINCENT PACES BUILT AND FRANCESS CONTINUEDED IN THE RECENT BOOM OF THE RULL-INFORMATION ALL KOO-CONTINUED IN THE RECENT AND A SAME THE RULL-INFORMATION ALL KOO-CONTINUED IN THE RECENT AND A SAME THE RULL-INFORMATION ALL CONTINUES IN THE RECENT AND A SAME THE RULL AND A SAME THE RULL CONTINUES IN THE RECENT AND A SAME THE RULL AND A SAME THE RULL AND A SAME CONTINUES IN THE RECENT AND A SAME THE RULL AND A SAME THE RULL AND A SAME CONTINUES IN THE RECENT AND A SAME THE RULL AND A SAME THE RULL AND A SAME CONTINUES IN THE RECENT AND A SAME THE RULL AND A SAME THE RULL AND A SAME ALL AND ALL STREETS FOR HANDING RECENT AND A SAME THE RULL AND A SAME IN THE CARDONIA BRILDING COOL. IN THE CARDONIA BRILDI

- ADDITIONAL OF A DIVERT FORMERY MAMBERS STALL BE DOUGASS FR. No.1 SERVICE ANALASS THE DESIGN STALL SECTION STALL COMPLY WITH PRODUCT PATURATION IN WET DIVERSIONENT FABRICATION STALL COMPLY WITH PRODUCT TAXAMOR DS 50-7, STRUCTURAL LOLD LAMMENTS THERE. MARKEN DATE OF A STALL SECTION STALL COMPLY WITH PRODUCT STRUCTURALLY OF WHTH WORK AND UNSAFE TREATED TIMBER DECKING HEQUIRES NO UNSAFE NOT-SHOP THISS.

- eth Non-Selo Things. The submort installation laboration nationals and the selection of th
- INDER SHALL BE MARKED WITH THE APPROPRIATE GRADE OF MATERIAL AND RIVATIVE TREATMENT, OR MAY BE SUBJECT TO REJECTION BY THE CITY
- - PROCESSES . B) CURRENT STATE AND FEDERAL ENVIRONMENTAL REQUIREMENTS AND GUIDELINES FOR THE TYPE AND APPLICATION OF PRESERVATIVE TREATMENTS WILL BE STRUCTLY ENFORCED. STRICTLY ENFORCED. ALL LUMBER MUST BEAR A STAMP BY THE AMERICAN LUMBER STANDARDS MUTTEE FOR CONFORMANCE TO THE AMERICAN PRESERVERS ASSOCIATION

ISSUANCE OF A BUILDING PERMIT BY THE CITY OF DOES NOT RELIEVE APPLICANTS OF THE LEGAL RECURRENTS TO OBSERVE COVENNETS CONDITIONS AND RESTRICTIONS WHICH MAY BE RECORDED AGAINST THE PROPERTY OR TO OBTAIN PLANS. YOU SHOLLD CONTACT YOUR COMMUNITY ASSOCIATION PROF TO COMMENSION OF ANY CONSTRUCTION AUTHORIZED BY THIS PERMIT.

- STANJARDS, ON CARDINANCE, DV MILE REGINE FED-APPLED RESERVATIVE D) FIELD COTS AND BORD SHALL REGINE FED-APPLED RESERVATIVE TEXTRET IN A COORDANCE WITH EST WANAGUMY PRACTICES, PRESERVATIVE TEXTRET DEVICES AND AND THE EXIL DEVICE DO THEY MARGINE WHEN THE ADDRET DEVICES AND AND THE EXIL DEVICE DO THEY MARGINE OF \$\$^1\$ LARGES THAN THE EXIT DUALTER WOOD WANKERS WITH HALES NOT WETTING THE ADDRET CHILD RE READOW DAN DEFLACED.
- 100 SITE
 - - VICINITY MAP

NOTE TO THE BIDDERS: FTER THOROUGHLY EXAMINING THE CONSTRUCTION DOCUMENTS AND THE SITE: NOTIFY THE ARCHITECT AND/OR THE ENGINEER IN WRITING, RECARDING ALL DISCREPANCIES REQUIRING CLARIFICATION, PRIOR TO THE "BID SUBMITTAL". DISCHEPARCIES REQUIRING CLAWINGATION, PRIOR TO THE BID SOMMITTAL. IF THE ARCHITECT AND/OR THE ENGLIERER IS NOT NOTIFIED, AS REQUIRED PER TEM #1 ABOVE, IT SHALL MEAN THAT THE CONTRACTOR HAS CONSIDERED ADEQUATE CONTINGENCY IN HIS BID TO COVER ALL COSTS TO COMPLY WITH T HAS CONSIDERED S TO COMPLY WITH THE

- Control de la co
 - 5-21-0559 Exhibit 2

Page 1 of 3

STEEL

STRUCTURAL STEEL SHAPES AND PLATES SHALL CONFORM TO A.S.T.M. A572 GRADE 50 OR ARIZ WITH Fy = 50 KB. STEEL PIPE COLUMNS AND OTHER STEEL PIPE STRUCTURAL MEMBERS SHALL CONFORM TO A.S.T.M. ASS, GRADE B. STRUCTURAL STEEL TURING SHALL CONFORM TO A.S.T.M. ASSO, GRADE B, Fy = $5\,\rm mccTural$

STRUCTURAL STELL TUBING SHALL CONTON TO A.S.I.M. ASO, URAGE U.Y.Y. BOLTS SHALL CONFONT TO A.S.T.M. ASO, URAGE WITH THE SHALL BE ANNUAL WE HIGH STRUNCTH (H.S.) BOLTS ARE SPECIFIED, THE'S SHALL BE ANNUAL WE DAMETER AND CONFONT TO A.S.T.M. ASOS SOLVERS A URLESS NOTED OTHERWISE ON THE PLANS. THE STALLATION OF H.S. BOLTS SHALL BE DEPARTMENT.

DEPARTMENT. ALL BOLTS HOLES IN STEEL MEMBERS SHALL BE STANDARD HOLES, U.N.O. STRUCTURAL STEEL "NELSON" STUDS SHALL BE MANUFACTURED FROM CIDIS, CIDI7 AND CID20 COLD DRAWN STEEL CONFORMING TO AS.T.M. AT08-68T. LICHT GAUGE STEEL MEMBERS SHALL CONFORM TO AS.T.M. STANDAROS AS

LOWS:) FOR 18 GA. THICK AND LIGHTER STEEL : A448, GRADE A (GALVANIZED) OR 570, GRADE 33 OR A611, GRADE C - ALL HAVING MINIMUM OF 33 KSI YIELD

C CONCIDE OF CONCIDENT OF CONCI

206-9925 206-9925 INC.

P (949)

SUITE 250 CA 72630

23 ORCHARD, 3 LAKE FOREST, C

5 5812

7/12/21

M. FARAG M. JAFARI M. JAFARI M. JAFARI M. JAFARI

S-1

3000


A YOU TE DA THECK AND DEVISE STRLET, HAND, DARLER & (DATAWALD) DE STRENDTH B) FOR 16 DA. THECK AND FEARING STREET ALL AND DEVISE OF 33 VEDTO DE STRENDTH B) FOR 16 DA. THECK AND FEARING STREET ALL AND DEVISED OF STREET STRENDTH-STRENDTH-R FARECASTON AND DEVISION SHALL COMPONENT OF THE LATEST COMMON OF ASSAULT ALL ANDLE FOR DESTIN STREET CHARACTER SHALL DOWLD OF PHONED.

SPECIFICATIONS. 9. ALL HOLES FOR BOLTS IN STRUCTURAL STEEL SHALL BE DRILLED OR PUNCHED. BURNING OF HOLES SHALL NOT BE PERMITTED. 10. ALL STEEL SHALL BE STAINLESS, HOT DIP GALVANIZED OR EPOXY COATED.

WELDING

- WELDING AL WELRON SHALL BE DONE USING THE SHELDE ELECTRIC ARC PROCESS BY ALCONEND OF STEEL REINFORCE AND SHALL BE DONE WHIL LOW INFORCENT LECTRODS, ASJ, CLASS ETOXO, STRIS, SPECIAL REPECTION NEED NOT HAVE SHOLD SHELD RUBING CONTINUOUS OF PRIDOLO SPECIAL REPECTION NEED NOT HAVE SHOLD SHELDER, MERINARIS OF THEIDOLO SPECIAL REPECTION NEED NOT HAVE SHOP, INFORMER, MERINARIS OF THEIDOLO SPECIAL REPECTION NEED NOT HAVE SHOP, INFORMER, MERINARIS OF THEIDOLO SPECIAL REPECTION NEED NOT HAVE SHOP, INFORMER, MERINARIS OF THEID SECTION STRIDUCTION INTO AND SHOP INFORMER, MERINARIS OF THEID SECTION STRIDUCTION INTO AND SHOP INFORMERS, MERINARIS OF THEID SECTION STRIDUCTION INTO AND SHOP INFORMERS, MERINARIS OF THEID SECTION STRIDUCTION INTO AND SHOP INFORMED IN ACCORDANCE WITH THE SECTION TALE 2.0 OTHER OF SHOP INFORMED IN SECTION OF ALL FELD FELDINGS.


NAILING AND FASTENERS




SCOPE OF WORK:

SCOPE OF WORK: REPLANCE DEVICE 248 FLAT DECKING AT CATWALK, GANGWAY & FLOATING DOCH WEIN KOW 268 TINCK DOCIONCLUERCRAL WITH NEW GUARGRALL. COMPLETE RESULT OF FRAMEWORK UKEF FOR LUCK. INSTALL 2 SLL PLATES GOMPONISED OF TINKEE 64/2 FLAT WOOD PILE CAP TO RAISE CATWALK APPROX. IN INCIGES TROM DESTING.





Page 2 of 3



Page 3 of 3