CALIFORNIA COASTAL COMMISSION

45 FREMONT, SUITE 2000 SAN FRANCISCO, CA 94105-2219 FAX (415) 904-5400 TDD (415) 597-5885



F13b

4-22-0020 (Cicileo) May 12, 2023

EXHIBITS

Exhibit 1 – Vicinity Map

Exhibit 2 – Site Aerial

Exhibit 3 – Proposed Restoration and Enhancement Areas

Exhibit 4 – Proposed Road Remediation Plan

Exhibit 5 – Assessor's Parcel Map

Exhibit 6 – Equestrian and Hiking Easement Areas

Exhibit 7 – CCC Permit Jurisdiction Map




Exhibit 1
Application No. 4-22-0020
Vicinity Map






Exhibit 3
Application No. 4-22-0020
Proposed Restoration and Enhancement Areas
1 of 3




Exhibit 3
Application No. 4-22-0020
Proposed Restoration and Enhancement Areas
2 of 3




Exhibit 3
Application No. 4-22-0020
Proposed Restoration and Enhancement Areas
3 of 3

COUNTY FLOOD CONTROL ROAD REMEDIATION PLAN

5300 SHORELINE DRIVE

LEGEND

EXISTING CONTOUR PROPOSED CONTOUR

EXISTING ROAD BASE SECTION TO REMAIN

EXISTING ROAD BASE TO BE REMOVED



VICINITY MAP



LOCATION MAP

REPRESENTATIVE

REVIEWED BY:

SANTA BARBARA COUNTY FIRE DEPARMENT

SANTA BARBARA COUNTY BUILDING & SAFETY

Exhibit 4 Application No. 4-22-0020 Proposed Road Remediation Plan

5300 SHORELINE DR

2408-01-CU22

1 OF 5

GENERAL INFORMATION AND NOTES

- AL REPORT OF CHILD CAT OF CHILD AND AN ARTHUR WIND CHILD THAT IS INCOMPLISHED AND WAS A FAR AND WAS A FART.
- 3. If a the contractions interpretability to beyond the recurrent continues or American, And Audit by their incommends as
- RECOMMENDATION. FIRE CONTRACTOR DITEMBERS THERE IS A CORRECT SETWING HESS RURS. AND THE REPORT, HE SHALL MODIS AND NOTED IN RETENDED TO THE REPORTED OF THE RURS AND THE RECORDING HIS PRODUCTION, HE WILL NOT ON A WITTON
- BROBE GEBBRING WORL, THE CONTRACTOR DAYS, DOTACH THE COUNT WICEHER, THE DIGIT WORKER, AND THE PROJECT INCIDENT PROJECTION COUNTY, AND AND DIFFERS WOUNDED, \$11 COUNTY OF WORLD TO BE CORREST AND THE SHOOK, AND CONTRACTOR OF A REPORT AND CONTRACTOR SHOULD BE SHOULD BE CONTRACTOR OF A COUNTY OF A REPORT AND CONTRACTOR OF A REPORT AND CONTRACTOR SHOULD BE SHOULD AND COUNTY OF A SHOULD AND CONTRACTOR OF A SHOULD BE ADMINISTRATION OF A SHOULD AND CONTRACTOR OF A REPORT AND CONTRA
- DESIGN PROMISE SENS VERMANNED FORM DISTOR RAVE, INCLUDED PROPEY CORRES AND RECOVERACION AS AS PRESENDE ET NE CORRECCIOS DE SANA, DE REGION PROPE TO CONCRECCION AND IN-DE AND CONCRECCION AT A SCOREGO UNICATAMORY OF THE CONFESCORE SERVICE.
- F. THE ROWSH CHARGES COMMACTOR SHALL GRADE TO ELECTRADE.
- PICTOMERCINED, LOCATON DE PREMI GRADE REPURIDER MA PRATIRICADA E TRAILE, EDIGE LIFE, ETC. DERA, ES DIFFE ETICAM RICHA GOMENTARISTICHMENT DE PLANE, LIFECOMANDAMIC DE VIRTICAL CUENTE, AC APPENDRA, DANA DE RAZIAMO ENTRES CONTRO, DERIVACIONE DICHINO DE PLANE.

AMENICA DETRIBUTION OUT ACH

PROPOSITO HE + COURCE VALUE

THE EAST-WORK CHARGES ABOVE ARE NOT RESIDED FROM PURPLESS DAYS. THE WAY HET BEREACTION OF CACCOUNT NO CHARGE IN VOLUME DAY TO BELLEYD, CLEANING WICH GREENS THE MADE, BY COMPACTION, AND CONCENTION METHODS.

THE COMMAND SHALL PREVIOUS AND FARTHWORK OF SHALLENGE THE PURPOSE OF PREPARENCE, A LIANS SUM SO PROCEEDINGS AND THE COMMAND FROM A PURPOSE AND PLACEMENT OF SAME MADERIAL DISTRICT AND PROPER DESIGNATION OF SAME MADERIAL DISTRICT AND PROPERTY.

THE CHARGING CAPE THAT COME I WIS HELDWISE DUE COMEG, DOWNSHIPS AS ALL SHE NO INTERNATIONAL AND

- 4. Duti deletado en os deletados a comercidades de comercidades de los deletados delet

- Datino CONSTRUCTOR, LOS HATRE TRUCIS DE SPREGUESTATISME TO DEP ALL ARRECTO VANCIA EXTRÉMENT DAMP RECUON TO PROVER DATI HIDM QUESTO DEL SIS.
- E. WE DOWN THE CONSTRUCTION AREA AFRIR WORLS COMPAND FOR THE DAY AND WHILEMEN WAY SKICKED IS MAY
- WHEN WED BEDRES IS MAN NAVY SEE BATHOO AT SACT ONCY MACHION PROJECTION OF WHICH IS AND CONTRACT.
- 44 DOMESON & STOCKHOLD FOR MAKE THAN TWO DAYS OF REAL WINNESS AND REPORT OF SEMESTRATION
- a his les a discrito and altri departación del cole follo field, les consélvanticans discultantes.
 a.). Bed avec more les evidinas descrito altació altació altació altació.
 a trejato de descrito altació.
 b.2. Intercor antico de actual actual.

TABLES THE DUES COMPINED, COMPONENTS ARMY RECEIVED BESTERED OF ANY SEASONS OF CONSTRUCTION THE CHORSON AND DEVELOPMENT ACTIVITIES.

SURVEY MONUMENTATION

DE CONTACTOR DALL ABREM AL LEMYSTED REQUIED ACE DE PREMIVACION CHÁRDING DEMYS ADDREMENTADOS. DE CONTACTOR E REPONDEL FOR DE PRÉSENTON A RECOR PREMIVACION DE LA SOSTINO DEMYS DOCUMENTE WHICH CONFE SARDYSENS, BOURGAINS, 201975, HERNAYS, BOHS OF WAY, AND BASIMENTS, OR PROVIDE SURVEY CONTROL FOR THAT WHICH WAS SEPTEMBERS OF BEINDING ON BEINDING ON THE PORT AND SERVEY OF THE CONTRACTOR.

- THE COMMACION DWILLIES THE PART CREATED A DISERTO REPERAL AS BRIGAROUS WID FRACTICAL BROWNINGS BEADOTO BY CHOICAL AND STOCK WITH FOLLIES IN REMEMBER.
- Bridger Control onects and its second when appropriate street existing and taviff expectes your way reconstructs the road leaves but all no school engages.
- BICHT AS CHARGE ANYONG IT THE BUDGET AND SAFET PROFICES AS BRACHABE PROVIDED SHOW DRIVED SHOW THAT ID HE REACH AT THE FIRD OF FACH ROWING DAY OF WHILE PLES WHEN THE SIGNY WAS PROBABILITY OR DICKET ASS.

- 8. SECENCIONES, SYCEL SALL HOTE MODING WITHOUT THE APPROVAL OF THE MORRIER, SEVERO HAVE SALL AS ILLEASTED TO THE COURT HOLANGOVAL.

- WHEREVER SECRETS AND IN WAITE MADE IN EMPLOYED FROM THE CONSTRUCTION STR., A DEMANDSHIP FROM A FILTRE SCE, POSTABLE SECRET FAIR, OF SCHAFF, AND FROM OF PERHAPS AND A STORY SECRET SCHAFF.

ROAD SECTION DETAILS



CONSTRUCTION NOTES

REMOVE EXCESS POAD BASE AS INDICATED ON PLAN AND O RESTORE FLOOD CONTROL ACCESS AND MAINTENANCE DIST ROAD TO ORIGINAL WIDTH.




stav Cesign Galcula Compactif 20 s RRM is a Collifornia Corporation



DR SHORELINE AND REMEDIATED CROSS-SECTION

	-	-
1	19/001	0.03
Ī		1
	CACHANAGE A MARTON	
	MANUEY CHECKED	EV.
ľ	OF 12,3002	
E	OH.	
E	la dwg	
æ	O MARKET	
	2408-01-CU	22

2 OF 5







design design and the second s

5300 SHORELINE DE

_	
M RANGEDII	
DE NOTE DECEMBER	SEL
EAS 8796, 12, 2021	
Ran and Palitie dwg	- 7
SORRESIDEN	
2408-01-CU	22
3468	


SITE SPECIFIC EROSION CONTROL NOTES:

- PERMETER CONTROL EMPS AND STABLEED CONSTRUCTION ENTRANCES SHALL BE IN PLACE PRICE TO ANY GROUND DISTURBANCE.
- THEE FRANK ARE INTENDED TO REPORTED IMPRIENT PHASE DURING CONSTRUCTION. THE CONTRACTOR SHALL INSULAND THE MAPS PROVING WORDER AND OTHER MEASURES RECEIVED CONSTRUCTION TO BE IN COMMUNICATION THE CHEEKER, PORTE, WITHOUT ADDITIONATION OF THE EMPTS SHOWN IN THE FRANK DO NOT RELIEVE THE CHEEKER OF INJURIES REPORTATION FROM REPORTBRIST OF WATERWINKS ALL MACHINES TREETED TO BE IN CONSTRUCT.
- THE CONTRACTOR MAY UTUSE RUMBLE PLATES IN HIEL OF RIP RAP AT THE CONSTRUCTION INTRANCES AS LONG AS THEY ACCOMPLEY THE DESIRED RESULTS.
- OFFITE CONSTRUCTION THAT INCLIDES DEMOLITION AND REFLACIMENT OF DISTING ASPHALT SHALL RE COMPLETED WHICH SHEE 2 NO FORECAST SAIN LINEST, ARREAT HAT WILL BE DUE FOR EXTRIBUTE PRODUCE OF THAT SHALL BE CONFERD WITH TRAPOGRAPY ASPHALT PARCHING, (COOK) MIND.
- 5. ANY SEDMENTS TRACKED OFFSTE SHALL BE CLEANED DAILY BY MEANS OF MOBILE STREET SWIETPERS.
- 6. ANY GRADED AREAS THAT ARE GOING TO STIDLE FOR MORE THAN TWO WIEKS, SHALL HAVE AN APPROPRIATE GROUND COVER (MY APPLIED.
- THE LOCATIONS SHOWN FOR THE EQUIPMENT AND MATERIAL DELIVERY STORAGE AREAS, AND CONCRETE.
 WASTE CLEANOUT MAY SE SELOCATED DURING CONSTRUCTION BY THE QUE AND UPDATED IN THE SMIPP.

SET STREET INVESTIGATE & VACUUMANG
 TO-1 STABLED CONSTRUCTION INTRANCE
 WHALL DELIVERY & STORAGE AREA
CONSTRUCTION STAGANG AREA

(E) WIN-B CONSTRUCTION WASTE MANAGEMENT







v person securi competento Misia California Competent

design draw and a sign of the sign of the

5300 SHORELINE DR
EROSION AND SEDIMENT
CONTROL PLAN


un.	EVER24	nais
_		
		- 100
7	A HAMETON	
ORANIEY DRICTION		DECEMBER OF THE PERSON OF THE
2	ON 12,3003	
0	URU	
2	C Planding	
20	HOME	
	2408-0	1-CU22
IH	est.	
	40	F 5

EROSION AND SEDIMENT CONTROL PLAN NOTES


CONTRACTOR'S NOTES:

- 1. CONTRACTOR SHALL PREVENT WATER CONTAMINATION DURING CONSTRUCTION BY MELEVAINTING THE FOLLOWING CONSTRUCTION STEMFASURES.
- ALL ENPRANCES/EVES TO THE CONSTRUCTION SET SHALL BE STABLED USING MERIODS DESIGNED TO REDUCE TRANSPORT OF SEDWENT OFF SEC.
- STABLESHS MEARINES MAY HIGLIDE BUT ARE NOT INVED TO USE OF GRAVE PACK, SITE RUMBE PLATE, TRAPCHARY PAVINC, SPC.
 ANY SENANT OF OTHER MATERIALS TRACKED OFF SET SHALL BE RECOVED THE SAME DAY AS THEY ARE TRACKED USING DAY CLEARING METHODS.
 DETRACKING/DUS SHALL BE MANIFAMED UNITS GRADED APEAS HAVE BUT STABLED BY A SERVICE OF CONTROL MAKEURS OF
- ARTY CONCRETE ARTHALL AND EAR COAT ONLY DISING DEF YEARING.
 COVERSTIONS DARKS AND MANIFORCE WHEN THE CONSTRUCTION ASSA WHEN FAVING OR APPLYING SEAL COAS, SUBSY, FOG SEAL, INC.,
 STORE HANDE AND EXPOSE OF CONSTRUCTION METERALL AND WASTESSICH AS PART, MOSTAR, CONCRETE SUBSY, THEIL, ITC. IN A MARKING WHICH
 MEMBER THE OTHER AND EXCENSIVE CONSTRUCTION AND WASTESSICH AS PART, MOSTAR, CONCRETE SUBSY, THEIL, ITC. IN A MARKING WHICH
 MEMBER THE OTHER AND EXCENSIVE CONSTRUCTION.
- WITHIN 30 DAYS OF COMPLETION OF GRADING ACTIVITIES, CONTRACTOR SHALL ISER/POPO-SEED, STRAW BLAKKES, GROTERIES BRODING FABRICS OR OTHER PAD APPROVED WETHINGS AS INCESSARY TO VICIO BLOFF SOILS WITH LANGEOUT VIORERANCE IS STRAIGHED. THE JAMES THE PETERING OF SEPPACES GRADING FOR THE PLANDER OF CHEMICAL SECURITIES OF CONTRICTION DOES NOT COMMINIST WITHIN 3 DAYS OF GRADING.
- CONTRACTOR SHALL DESCRIPTION CONTRACTOR DURANTER SHARL AND CORRECT MEMORY DO CONTRACT SHALL SHAT CLEARED AND FROME DEFENDA AND FRIEND CONTRAVANDANT PRODUCCIONADO TO THE STOOM DONE, CITED CONTRACTOR CONTRACTOR CONTRACTOR IN MAIN SHALL BE NO LARGED THAN SO, AS FOOT UNIDED CONTRACTOR SHY PAID AND SHALL BE LOCATED AT LART 100 TEST BROW AND STORM DRAW, MASTER SOOT OF SHORMER COLLICIOUS AND STORMER AND SHALL BE LOCATED AT LART 100 TEST BROW AND STORM DRAW, MASTER SOOT OF SHORMER COLLICIOUS AND STORMER AND SHALL BE LOCATED AT LART 100 TEST BROW AND STORM DRAW, MASTER SOOT OF SHORMER COLLICIOUS AND STORMER AND SHALL BE LOCATED AT LART 100 TEST BROW AND STORMED AND SHALL BE LOCATED AT LART 100 TEST BROW AND STORMED AND SHALL BE LOCATED AT LART 100 TEST BROWN AND S
- GRADING AND DICKON AND SEDIMENT CONTROL PLANS SHALL SE DESCRIED TO MINIMET SEDIMON DURING CONSTRUCTION AND SHALL SE INFOLMENTED FOR HIS DURANDON OF HIS GRADING PERSON AND UNITS, RE-GRADED AREAS HAVES SEN STABLED BY STRUCTURES, LONG-TERM SEDIMON CONTROL MEASURES OF RESIMATION LANGUAGE PRIOR.
- 5. THESE MINAURUS ARE REQUIRED FOR ALL PROJECTS INVICENTS BARRISHOUNG ACTIVITIES BROANDLES OF BIE PROJECT SET OF DURATION, FROME INFIBITIONAL OF THEIR PROJECT SET ON THE VIOLENCE OF STREET AND THE VIOLENCE OF STREET OF STREET OF THE VIOLENCE OF STREET OF THE VIOLENCE OF STREET OF THE VIOLENCE OF THE
- IN BECOMMENDE OF BUILDERS HALL DESCRICE A PERSON OF REPORTED TO HER DESCRIPTION OF THE MEDITARY OF A PERSON OF THE PERSON OF THE

SWPPP CONTROL BMP DETAILS







TC-1 STABILIZED CONSTRUCTION ENTRANCE/EXIT DETAIL SCALENIS







EROSION AND SEDIMENT CONTROL PLANNOTES SHORELINE 300

APRIL 13, 3003 2408-01-CU22

5 OF 5





Coastal Zone Boundary APN 065-230-014

Santa Barbara County

Exhibit 7 Application No. 4-22-0020 CCC Permit Jurisdiction Map

Coastal Commission Permit Jurisdiction



Coastal Commission Appeal Jurisdiction



DR 09/2022